

# Comparison of Different Presentation Formats of Shingles Vaccination Information

Thien Long Vu, PharmD/MBA Candidate and Radhika Devraj, Ph.D. School of Pharmacy, Southern Illinois University Edwardsville

SOUTHERN ILLINOIS
UNIVERSITY
EDWARDSVILLE
SCHOOL OF PHARMACY

# BACKGROUND

- Shingles is expected to affect nearly 1 out of 3 people living in the United States.
- With the availability of the Shingrix vaccine, the incidence rate is expected to decline; however, hesitancy and reluctance to obtain the vaccine are still prevalent issues.
- Low shingles vaccination rates is a significant problem that needs to be addressed through better education.
- While shingles information is disseminated in a variety of ways, there is no assessment of which format patients perceive as best.

## OBJECTIVE

• To compare the effect of different educational formats on the following: 1) knowledge about shingles, 2) ease of readability and understanding, 3) consumer preferences, and 4) intention to obtain the shingles vaccination.

# METHODS

#### Study Design

- Cross sectional survey using Amazon MTurk.
- 2 batches of surveys were set up to assess the use of an infograph, TV ad, or web-based text. Participants were randomly assigned to view 1 of the 3 formats. The first batch was sent to those between 45 and 50 years, and the second batch to those over the age of 50 years.

#### Inclusion Criteria

• Residents of the United States, age  $\geq$  45, and with access to an MTurk account.

#### Study Measures

- A survey consisting of the following sections was designed: a) pre- and post-knowledge test about shingles and shingles vaccination, b) perceptions of ease of readability and satisfaction, c) intention to obtain shingles vaccine, and d) demographics. It was pilot tested on five volunteers and modified.
- Participants with M Turk accounts meeting study criteria (n=500) were incentivized for their study participation.
- IRB approval was obtained.

## RESULTS

#### Enrollment and Characteristics.

- A total of 482 respondents participated in the study.
- 39 respondents were excluded for the following reasons: surveys completed in < 4 mins or incomplete and invalid surveys.
- From 443 respondents: 130 participants viewed a TV ad, 170 participants viewed an infograph, and 143 participants viewed a web-based text.
- There was no difference in demographic characteristics among the groups.
- Mean increase in knowledge scores:
- $\circ$  TV ad = 1.39 (95% CI: [1.07 to 1.71])
- Infograph = 1.92 (95% CI: [1.58 to 2.26])
- Web-based text = 1.17 (95% CI: [0.85 to 1.49])
- Knowledge scores increased the highest for the infograph compared to the other formats (mean increase TV ad=1.39).





Figure 1: Average Pre- and Post-knowledge Scores between TV ad, Infograph, and Web-based Text



## RESULTS





Figure 2: Consumer Intention to Obtain Shingles Vaccine Based on Shingles Information Format Type



## CONCLUSION

- Visual formats such as infograph and TV ad showed the highest improvement in knowledge scores.
- Participants perceived the TV ad and infograph as the most preferred formats for sharing information about shingles vaccinations.
- A greater percent of those who viewed the TV ad planned to get the vaccine in the next 6 months compared to other formats.
- Although not statistically significant, visual formats seemed to increase the likelihood to obtain the vaccine as well as increase the perception that vaccines provide a benefit.