Police Department Southern Illinois University Edwardsville Police Activity Blotter

FIRE ALARM 08/01/2024 02:34

2024-00022184 Location: 404 COUGAR LAKE DR Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to a faulty alarm. No smoke, no fire, no damage.

WELFARE CHECK 08/01/2023 08:56

2024-00022203 Location: 1719 ANNEX ST, BUILDING 282, SIUE DENTAL SCHOOL Officer responded to a welfare check request of a student from faculty. Contact was made and no police assistance was needed.

WARNING - IMPROPER DISPLAY OF REGISTRATION 08/01/2023 11:23

2024-00022214 Location: S UNIVERSITY DR NEAR STADIUM DR Warning for Expired Registration also issued.

INFORMATIONAL 08/01/2023 13:21

2024-00022223 Location: LEWIS RD NEAR YELLOW HAMMER CROSSING. Officer responded to a report of a possible homeless encampment. Officer advised they were unable to locate an encampment.

WARNING - EXPIRED REGISTRATION 08/01/2023 21:18

2024-00022255 Location: NEW POAG RD NEAR BOHM SCHOOL RD

FIRE ALARM 08/01/2023 21:46

2024-00022256 Location: 403 COUGAR LAKE DR Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to cooking. Light smoke, no fire, no damage.

DISREGARD STOP SIGN 08/02/2023 02:10

2024-00022272 Location: N UNIVERSITY DR NEAR NEW POAG RD State citation issued to Shaniya B. Cornell. Warning for Expired Registration also issued.

ASSIST OTHER POLICE DEPARTMENT (EDWARDSVILLE POLICE DEPARTMENT) 08/02/2023 04:36 2024-00022255

Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville Police Department with responding to an alarm in their venue. Officer advised no police assistance was needed.

ASSIST OTHER POLICE DEPARTMENT (BETHALTO POLICE DEPARTMENT) 08/02/2023 05:49

2024-00022284 Location: OUTSIDE VENUE, BETHALTO Officer assisted Bethalto PD with assisting a subject with an incident that occurred in their venue.

WARNING – SPEEDING 08/02/2024 10:48

2024-00022299 Location: NW UNIVERSITY DR NEAR CIRCLE DR **FRAUD** 08/02/2024 12:11 2024-00022302 Location: OUTSIDE VENUE, EDWARDSVILLE Officer took a report from a SIUE staff member that advised her direct deposit account had been tampered with.

WARNING - DRIVING WITH ONE HEADLIGHT 08/02/2024 22:50

2024-00022356 Location: N UNIVERSITY DR NEAR CIRCLE DR

ASSIST OTHER POLICE AGENCY (GLEN CARBON POLICE DEPARTMENT) 08/02/2024 23:20

2024-00022360 Location: OUTSIDE VENUE, GLEN CARBON Officer assisted Glen Carbon PD with a request for a female officer to search a female subject with negative results.

WARNING - DISREGARD STOP SIGN 08/03/2024 01:05

2024-00022371 Location: NEW POAG RD NEAR N UNIVERSITY DR Warning for Improper Display of Registration also issued.

DISTURBANCE 08/03/2024 15:48

2024-00022410 Location: 403 COUGAR LAKE DR Officer responded to a disturbance between subjects. Officer advised subjects had a verbal argument and subject left the scene without incident.

WARNING - FAILURE TO DISPLAY REGISTRATION 08/03/2024 20:40

2024-00022424 Location: E UNIVERSITY DR NEAR N UNIVERSITY DR

WARNING - DISREGARD TRAFFIC CONTROL LIGHT 08/03/2024 21:14

2024-00022430 Location: N UNIVERSITY DR NEAR E UNIVERSITY DR

WARNING - EXPIRED REGISTRATION 08/03/2024 21:32

2024-00022432 Location: E UNIVERSITY DR NEAR N UNIVERSITY DR

WARNING - NO REAR REGISTRATION LIGHT 08/03/2024 21:48

2024-00022434 Location: N UNIVERSITY DR NEAR LEWIS RD

WARNING - IMPROPER DISPLAY OF REGISTRATION 08/03/2024 22:39

2024-00022440 Location: N UNIVERSITY DR NEAR LEWIS RD

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE POLICE DEPARTMENT) 08/03/2024 22:58

2024-00022442 Location: COUGAR LAKE DR NEAR N UNIVERSITY DR Officer assisted Edwardsville PD by detaining subjects on motorcycles that may have been involved in an incident in their venue.

FIRE DEPARTMENT CALL / FIRE ALARM 08/04/2024 10:06

2024-00022481 Location: 60 CIRCLE DR, BLUFF HALL Officer responded to an active fire alarm. Officer advised alarm was activated due to an unknown cause. No smoke, no fire, no damage. Edwardsville Fire department was dispatched and cleared the scene.

WARNING - EXPIRED REGISTRATION 08/04/2024 18:49

2024-00022501 Location: N UNIVERSITY DR NEAR E UNIVERSITY DR

EXPIRED REGISTRATION 08/04/2024 19:31

2024-00022510 Location: E UNIVERSITY DR NEAR N UNIVERSITY DR State citation issued to Nicholas S. Shoffner.

WARNING - DRIVING WITH ONE HEADLIGHT 08/04/2024 20:25

2024-00022516 Location: N UNIVERSITY DR NEAR LEWIS RD

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE POLICE DEPARTMENT) 08/04/2024 20:51

2024-00022519 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville PD with a search for a subject in their venue. Officer advised subject was unable to be located.

WARNING - IMPROPER TRAFFIC LANE USAGE 08/04/2024 23:01

2024-00022532 Location: S UNIVERSITY DR NEAR STADIUM DR Warning for Speeding also issued.

ASSIST OTHER POLICE AGENCY (ALTON POLICE DEPARTMENT) 08/05/2024 03:59

2024-00022560 Location: OUTSIDE VENUE, ALTON Officer assisted Alton PD with attempting to locate a subject possibly involved in an incident in their venue. Officer advised subject was located by Alton PD.

WARNING - EXPIRED REGISTRATION 08/05/2024 08:52

2024-00022573 Location: COUGAR LAKE DR NEAR N UNIVERSITY DR Warning also issued for Operation of Motor Vehicle with Suspended Registration.

ASSIST OTHER AGENCY - EAST ST LOUIS CHARTER HIGH SCHOOL 08/05/2024 11:09

2024-00022587 Location: 601 JAMES R THOMPSON BLVD, BUILDING D, EAST ST LOUIS CAMPUS Officer assisted Charter High School with an incident involving a student. Officer advised no police assistance was needed.

DRIVING ON SUSPENDED LICENSE 08/05/2024 11:19

2024-00022588 Location: E UNIVERSITY DR NEAR N UNIVERSITY DR State citation was issued to Cherie E. Elsperman-Lee. Citation for Operation of Uninsured Motor vehicle was also issued. Warnings for Disregard Stop sign and Operation of Motor Vehicle with Suspended Registration were issued.

FOUND BACKPACK AND LAPTOP 08/05/2024 20:01

2024-00022623 Location: 20 HAIRPIN DR, PECK HALL

WARNING - DISREGARD STOP SIGN 08/05/2024 21:13

2024-00022628 Location: CIRCLE DR NEAR N UNIVERSITY DR

WARNING - TAILLIGHT VIOLATION 08/05/2024 22:59

2024-00022634 Location: N UNIVERSITY DR NEAR LEWIS RD

FIRE ALARM 08/06/2024 14:12 2024-00022690 Location: 401 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to an unknown cause. No smoke, no fire, no damage.

POSSESSION OF CANNABIS 08/06/2024 20:49

2024-00022715 Location: UNIVERSITY PARK DR NEAR N RESEARCH DR Officer issued a city ordinance to Serenity V. Smith. Warning was also given for Disregarding a Stop Sign.

WARNING – DISREGARD STOP SIGN 08/06/2024 21:05

2024-00022717 Location: S UNIVERSITY DR NEAR N STADIUM DR

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE POLICE DEPARTMENT) 08/06/2024 21:56

2024-00022718 Location: E UNIVERSITY DR NEAR N UNIVERSITY DR Officer assisted Edwardsville PD with traffic control on a traffic stop.

WARNING - NO REAR REGISTRATION LIGHT 08/06/2024 23:30

2024-00022730 Location: N UNIVERSITY DR NEAR NEW POAG RD

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE POLICE DEPARTMENT) 08/06/2024 23:31

2024-00022731 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville PD with traffic control on a traffic accident.

WARNING - TAILLIGHT VIOLATION 08/06/2024 23:45

2024-00022732 Location: NEW POAG RD NEAR N UNIVERSITY DR

WELFARE CHECK 08/07/2024 00:03

2024-00022733 Location: 780 NW UNIVERSITY DR, SIUE REC PLEX Officer responded to a report of a subject in a vehicle that possibly needed assistance. Officer advised subject was resting and no police assistance was needed.

FIRE ALARM 08/07/2024 00:17

2024-00022737 Location: 402 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to humidity. No smoke, no fire, no damage.

WARNING – DISREGARD STOP SIGN 08/07/2024 12:49

2024-00022777 Location: UNIVERSITY PARK DR NEAR N RESEARCH DR

FIRE ALARM 08/07/2024 18:14 2024-00022796 Location: 401 COUGAR LAKE DR Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to a faulty alarm. No fire no smoke, no damage.

WARNING - EXPIRED REGISTRATION 08/07/2024 18:44

2024-00022801 Location: E UNIVERSITY DR NEAR N UNIVERSITY DR

SPEEDING 08/07/2024 19:11 2024-00022805 Location: NW UNIVERSITY DR NEAR CIRCLE DR State citation was issued to Lyricajoy T. Lindquist.

FIRE ALARM 08/07/2024 19:57 2024-00022808 Location: 427 COUGAR LAKE DR Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to cooking. No fire no smoke, no damage.

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE POLICE DEPARTMENT) 08/07/2024 21:06

2024-00022816 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville PD with traffic control on a traffic stop.

WARNING - NO REAR REGISTRATION LIGHT 08/07/2024 23:35

2024-00022828 Location: N UNIVERSITY DR NEAR NEW POAG RD

WARNING - IMPROPER DISPLAY OF REGISTRATION 08/08/2024 00:29

2024-00022835 Location: E UNIVERSITY DR NEAR N UNIVERSITY DR

INFORMATIONAL 08/08/2024 10:03

2024-00022869 Location: SIUE FLYING FIELDS Officer responded to a report of a sink hole located near walking trail. Officer advised area was taped off and SIUE Grounds was notified.

FIRE ALARM 08/08/2024 10:12

2024-00022870 Location: 412 COUGAR LAKE DR Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to construction. No smoke, no fire, no damage.

FOUND DEBIT CARD 08/08/2024 16:07

2024-00022897 Location: 60 HAIRPIN DR, MORRIS UNIVERSITY CENTER

WARNING - EXPIRED REGISTRATION 08/08/2024 18:57

2024-00022912 Location: N UNIVERSITY DR NEAR NEW POAG RD Warning for Operation of Motor Vehicle with Suspended Registration also issued.

WARNING – EXPIRED REGISTRATION 08/08/2024 19:16 2024-00022917 Location: N UNIVERSITY DR NEAR E UNVERSITY DR

FIRE ALARM 08/08/2024 19:25 2024-00022919 Location: 411 COUGAR LAKE DR Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to cooking. No smoke, no fire, no damage.

DRIVING ON A SUSPENDED LICENSE 08/08/2024 19:48

2024-00022922 Location: N UNIVERSITY DR NEAR LEWIS RD State citation issued to Mark A. Foster. Warning for Expired Registration also issued.

WARNING – DRIVING WITHOUT HEADLIGHTS 08/08/2024 21:20

2024-00022933 Location: N UNIVERSITY DR NEAR E UNIVERSITY DR Warning for Expired Registration also issued.

WARNING - NO REAR REGISTRATION LIGHT 08/08/2024 22:41

2024-00022940 Location: E UNIVERSITY DR NEAR N UNIVERSITY DR

WARNING - IMPROPER LANE USAGE 08/08/2024 23:40

2024-00022947 Location: N UNIVERSITY DR NEAR NEW POAG RD

WARNING – VEHICLE FAILED TO YEILD RIGHT-OF-WAY TO EMERGENCY VEHICLE 08/08/2024 23:52

2024-00022948 Location: SIU NORTHERN ACCESS RD NEAR NEW POAG RD Warning for No Rear Registration Light also issued.

FOUND DEBIT CARD 08/09/2024 00:57

2024-00022952 Location: 60 HAIRPIN DR, MORRIS UNIVERSITY CENTER

WARNING - EXPIRED REGISTRATION 08/09/2024 10:46

2024-00022983 Location: STADIUM DR NEAR NEW POAG RD

WARNING - EXPIRED REGISTRATION 08/09/2024 12:45

2024-0002292 Location: N UNIVERSITY DR NEAR LEWIS RD

WARNING – SPEEDING 08/09/2024 14:00

2024-00022997 Location: N UNIVERSITY DR NEAR NEW POAG RD

OPEARTION OF UNINSURED MOTOR VEHICLE 08/09/2024 14:21

2024-00022998 Location: NEW POAG RD NEAR STADIUM DR State citation issued to Matthew Going. Warnings also issued for Expired Registration and Suspended Registration.

ASSIST OTHER POLICE AGENCY (MADISON COUNTY SHERIFF'S OFFICE) 08/09/2024 18:02

2024-00023011 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted MADCO with traffic control on a traffic stop.

WARRANT ARREST / OBSTRUCTION OF IDENTIFICATION 08/09/2024 19:10

2024-00023015

Location: N UNIVERSITY DR NEAR NEW POAG RD

State citation was issued to Tamara Q. Williams for Operation of Uninsured Motor Vehicle. Warning issued for Improper Display of Registration. Anthony L Hawkins Jr (9127 Bel Acers Ct, St. Louis, MO) was arrested for Obstruction Identification on SIUE Charges and a East Alton Police Department warrant for Possession of Fireworks. Subject was transported to the SIUE PD where he was fingerprinted, photographed, processed and signed the conditions of pretrial release on SIUE charge and given a new court date on the EAPD warrant. Warning was also issued for failure to wear seatbelt by passenger.

FIRE ALARM 08/010/2024 00:15

2024-00023044

Location: 401 COUGAR LAKE DR

Officer responded to an active fire alarm. Officer advised the alarm was activated due to an unknown cause. No fire, no smoke, no damage.

ASSIST OTHER POLICE AGENCY (ILLINOIS STATE POLICE) 08/10/2024 00:27

2024-00023046 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted ISP with traffic control on a traffic stop.

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE POLICE DEPARTMENT) 08/10/2024 00:43 2024-00023048

Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville PD with crowd control on a call in their venue.

WARNING - NO REAR REGISTRATION 08/10/2024 01:30

2024-00023051 Location: S UNIVERSITY DR NEAR UNIVERSITY PARK DR Warning also issued for No Proof Insurance.

WARNING – OPERATION OF MOTOR VEHICLE WAS SUSPENDED REGISTRATION 08/10/2024 01:39

2024-00023053 Location: NEW POAG RD NERA N UNIVERSITY DR Warning also issued for Disobey Stop Sign.

WARNING - SPEEDING 08/010/2024 18:56

2024-00023105 Location: N UNIVERSITY DR NEAR N RESEARCH DR

WARNING - EXPIRED REGISTRATION 08/10/2024 19:53

2024-00023112 Location: N UNIVERSITY DR NEAR N RESEARCH DR

WARNING - IMPROPER LANE USAGE 08/11/2024 00:28

2024-00023137 Location: E UNIVERSITY DR NEAR N UNIVERSITY DR

FIRE ALARM 08/11/2024 13:28

2024-00023182 Location: 406 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised the alarm was activated due to a hair straightener. No fire, no smoke, no damage.

FIRE ALARM 08/11/2024 14:12

2024-00023185 Location: 509 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised the alarm was activated due to cooking. No fire, some smoke, no damage.

TAMPERING WITH A SMOKE DETECTOR 08/11/2024 14:53

2024-00023187 Location: 420 COUGAR LAKE DR Officer responded to a report of a covered smoke detector. Officer advised the smoke detector was uncovered on arrival, but resident advised another subject covered the detector. Both subjects were advised of the housing policy and that smoke detector are not allowed to be covered.

ASSIST OTHER POLICE AGENCY (MADISON COUNTY SHERIFF'S OFFICE) 08/11/2024 22:28

2024-00023218 Location: OUTSIDE VENUE, ALTON Officer assisted MADCO with traffic control on a traffic stop.

INFORMATIONAL 08/12/2024 01:16

2024-00023227 Location: 421 COUGAR LAKE DR Officer took a report regarding an on-going incident with a resident and a family member.

FIRE DEPARTMENT CALL / FIRE ALARM 08/12/2024 14:51

2024-00023277 Location: 60 CIRCLE DR, BLUFF HALL Officer responded to an active fire alarm. Officer advised alarm was activated due to an unknown cause. No smoke, no fire, no damage. Edwardsville Fire department was dispatched and cleared the scene.

DISORDERLY CONDUCT 08/12/2024 15:07

2024-00023281 Location: OUTSIDE VENUE, EDWARDSVILLE Officer took a report regarding a student receiving threatening messages from family member. Investigation continues.

WARNING - EXPIRED REGISTRATION 08/12/2024 21:03

2024-00023316 Location: COUGAR LAKE DR NEAR N UNIVERSITY DR Warning for Unlicensed driver was also issued.

WARNING - NO REAR REGISTRATION LIGHT 08/12/2024 21:26

2024-00023319 Location: E UNIVERSITY DR NEAR S STATE RT 157

WARNING - EXPIRED REGISTRATION 08/13/2024 02:16

2024-00023345 Location: S UNIVERISTY DR NEAR STADIUM DR

SUSPICIOUS PERSON 08/13/2024 14:58

2024-00023395 Location: 601 JAMES R THOMPSON BLVD, BUILDING B, EAST ST LOUIS CAMPUS Officer responded to a report of a subject in the library acting suspicious. Officer advised contact was made with subject and subject left the campus.

HARASSMENT THROUGH ELECTRONIC COMMUNICATIONS 08/13/2024 20:24

2024-00023421 Location: 419 COUGAR LAKE DR Officer took a report from a subject receiving harassing electronic correspondence. Investigation continues.

WARNING - SPEEDING 08/14/2024 00:11

2024-00023436 Location: N UNIVERSITY DR NEAR NEW POAG RD

WARNING - NO REAR REGISTRATION LIGHT 08/14/2024 01:46

2024-00023442 Location: NEW POAG RD NEAR BOHM SCHOOL RD

FIRE DEPARTMENT CALL / FIRE ALARM 08/14/2024 09:54

2024-00023474 Location: 74 CIRCLE DR, EVERGREEN HALL Officer responded to an active fire alarm. Officer advised alarm was activated due to a bug bomb. Some smoke, no fire, no damage. Edwardsville Fire department was dispatched and cleared the scene.

FIRE ALARM 08/14/2024 14:43

2024-00023496 Location: 507 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to dust. No smoke, no fire, no damage.

TRAFFIC ACCIDENT 08/14/2024 20:47 2024-00023523 Location: EVERGREEN HALL PARKING LOT

WARNING - NO REAR REGISTRATION LIGHT 08/14/2024 21:19

2024-00023528 Location: E UNIVERSITY DR NEAR N UNIVERSITY DR FIRE ALARM 08/14/2024 23:30 2024-00023538 Location: 95 RESIDENCE DR, WOODLAND HALL Officer responded to an active fire alarm. Officer advised alarm was activated due to an unknown cause. No smoke, no fire, no damage.

TRAFFIC ACCIDENT 08/15/2024 09:31 2024-00023576 Location: PRAIRIE HALL PARKING LOT

LOST SLING BAG 08/15/2024 09:50 2024-00023578 Location: BLUFF HALL PARKING LOT

FIRE ALARM 08/15/2024 10:17 2024-00023581 Location: 405 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to cooking. No smoke, no fire, no damage.

TRAFFIC ACCIDENT 08/15/2024 14:06 2024-00023600 Location: WOODLAND HALL PARKING LOT

FOUND ID 08/15/2024 15:16 2024-00023605 Location: 60 HAIRPIN DR, MORRIS UNIVERSITY CENTER

WARNING – EXPIRED REGISTRATION 08/15/2024 19:39 2024-00023615 Location: E UNIVERSITY DR NEAR N UNIVERSITY DR

FIRE ALARM 08/15/2024 19:53

2024-00023617 Location: 405 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to a faulty alarm. No smoke, no fire, no damage.

FOUND PASSPORT 08/15/2024 20:07

2024-00023620 Location: 60 HAIRPIN DR, MORRIS UNIVERSITY CENTER

ASSIST OTHER POLICE AGENCY – GLEN CARBON POLICE DEPARTMENT 08/15/2024 21:18

2024-00023627 Location: OUTSIDE VENUE, GLEN CARBON Officer assisted Glen Carbon PD with an incident in their venue.

WARNING - NO REAR REGISTRATION LIGHT 08/15/2024 22:12

2024-00023631 Location: E UNIVERSITY DR NEAR N UNIVERSITY DR

WELFARE CHECK 08/16/2024 08:46 2024-00023676 Location: 60 CIRCLE DR, BLUFF HALL Officer responded to a request for a welfare check of a resident by a family member. Officer advised the resident did not need police assistance.

ASSIST OTHER AGENCIES (EDWARDSVILLE FIRE DEPARTMENT AND ILLINOIS STATE POLICE)

08/16/2024 08:43 2024-00023677 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville FD and Edwardsville PD with a traffic accident in their venue.

FOUND CASH 08/16/2024 12:50 2024-00023694 Location: SIUE ACADEMIC AREA

FIRE DEPARTMENT CALL / CARBON MONOXIDE ALARM 08/16/2024 13:30

2024-00023697 Location: 409 COUGAR LAKE DR Officer responded to a report of an active carbon monoxide alarm. Officer advised alarm was activated by a parent testing the alarm. No smoke, no fire, no damage.

FOUND IPHONE 08/16/2024 17:28

2024-00023720 Location: 601 JAMES R THOMPSON BLVD, BUILDING A, EAST ST LOUIS CAMPUS

WARNING - EXPIRED REGISTRATION 08/16/2024 19:07

2024-00023731 Location: N UNIVERSITY DR NEAR LEWIS RD Warning for Operation of Uninsured Motor Vehicle also issued.

OPERATION OF UNINSURED MOTOR VEHICLE 08/16/2024 19:32

2024-00023736 Location: N UNIVERSITY DR NEAR E UNIVERSITY DR State citation issued to Ricky A. Hudson. Warnings for Driving on Suspended License and Improper Turn Signal were also issued.

WARNING - EXPIRED REGISTRATION 08/16/2024 20:12

2024-00023742 Location: N UNIVERSITY DR NEAR NEW POAG RD

FIRE ALARM 08/16/2024 20:24

2024-00023746 Location: 525 COUGAR LAKE DR Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to cooking. Light smoke, no fire, no damage.

WARNING - EXPIRED REGISTRATION 08/16/2024 21:21

2024-00023752 Location: N UNIVERSITY DR NEAR NEW POAG RD

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE POLICE DEPARTMENT) 08/17/2024 01:50

2024-00023773 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville PD with an incident in their venue.

FIRE DEPARTMENT CALL / SUSPICIOUS ODOR OF GAS 08/17/2024 02:03

2024-00023776 Location: 409 COUGAR LAKE DR Officer responded to a report of a suspicious odor of Carbon Monoxide. Officer advised the burner was on with no flame. Edwardsville Fire Department was dispatched and aired out the apartment and cleared the scene.

FIRE DEPARTMENT CALL / FIRE ALARM 08/17/2024 08:12

2024-00023801 Location: 60 CIRCLE DR, BLUFF HALL Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to an unknown cause. No smoke, no fire, no damage. Edwardsville Fire Department was dispatched and cleared the scene.

FIRE ALARM 08/17/2024 11:29

2024-00023816 Location: 511 COUGAR LAKE DR Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to cooking. No smoke, no fire, no damage.

FIRE DEPARTMENT CALL / CARBON MONOXIDE ALARM 08/17/2024 14:31

2024-00023830 Location: 401 COUGAR LAKE DR Officer responded to a report of an active carbon monoxide alarm. Officer advised alarm was activated by an unknown cause. No smoke, no fire, no damage. Edwardsville Fire Department was dispatched and cleared the scene.

WARNING - EXPIRED REGISTRATION 08/17/2024 19:17

2024-00023857 Location: N UNIVERSITY DR NEAR NEW POAG RD

ASSIST OTHER FIRE DEPARTMENT (EDWARDSVILLE FIRE DEPARTMENT) 08/17/2024 20:11 2024-00023863

Location: 408 COUGAR LAKE DR Officer responded to a report of an odor of natural gas. Officer advised Edwardsville Fire Department was dispatched and located a leak in the furnace closet. Housing Maintenance was contacted for repairs.

WARNING - EXPIRED REGISTRATION 08/17/2024 20:27

2024-00023867 Location: N UNIVERSITY DR NEAR NEW POAG RD

WARNING – OPERATION OF MOTOR VEHICLE WITH ONE HEADLIGHT 08/17/2024 21:34

2024-00023875 Location: N UNIVERSITY DR NEAR COUGAR LAKE DR

FIRE ALARM 08/18/2024 02:39

2024-00023901 Location: 411 COUGAR LAKE DR Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to an unknown cause. No smoke, no fire, no damage.

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE POLICE DEPARTMENT) 08/18/2024 12:13

2024-00023937 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted with responded to an emergency call in Edwardsville PD's venue.

FIRE ALARM 08/18/2024 15:57

2024-00023954 Location: 405 COUGAR LAKE DR Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to an unknown cause. No smoke, no fire, no damage.

WARNING – DISREGARD STOP SIGN 08/18/2024 17:52

2024-00023961 Location: CIRCLE DR NEAR N UNIVERSITY DR

FIRE ALARM 08/18/2024 17:55

2024-00023963 Location: 405 COUGAR LAKE DR Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to an unknown cause. No smoke, no fire, no damage.

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE POLICE DEPARTMENT) 08/18/2024 18:14 2024-00023968

Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville Police Department with traffic control on a traffic stop.

FIRE ALARM 08/18/2024 18:43

2024-00023970 Location: 405 COUGAR LAKE DR Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to a faulty alarm. No smoke, no fire, no damage.

SUSPICIOUS ODOR 08/18/2024 20:11

2024-00023986 Location: 528 COUGAR LAKE DR Officer responded to a report of a suspicious odor of cannabis. Officer advised no odor was detected.

WARNING - DISREGARD STOP SIGN 08/18/2024 21:07

2024-00023995 Location: CIRCLE DR NEAR WHITESIDE RD

WARNING - FAILURE TO STOP AT INTERSECTION 08/18/2024 22:15

2024-00024003 Location: UNIVERSITY PARK DR NEAR S RESEARACH DR

DISORDERLY CONDUCT 08/18/2024 22:37

2024-00024004 Location: SIUE ACADEMIC AREA Officer responded to a report of an altercation between subjects. Investigation continues.

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE POLICE DEPARTMENT) 08/18/2024 22:53

2024-00024007 Location: 405 COUGAR LAKE DR Officer assisted Edwardsville police department with traffic control at a traffic stop.

FIRE ALARM 08/19/2024 01:08

2024-00024019 Location: 413 COUGAR LAKE DR Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to an unknown cause. No smoke, no fire, no damage.

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE POLICE DEPARTMENT) 08/19/2024 11:00 2024-00024065

Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville PD with a subject needing assistance.

FIRE ALARM 08/19/2024 12:08 2024-00024069 Location: 412 COUGAR LAKE DR Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to cooking. Light smoke, no fire, no damage.

TRAFFIC ACCIDENT 08/19/2024 14:03 2024-00024073 Location: PARKING LOT E

FOUND WALLET 08/19/2024 15:14 2024-00024080 Location: 50 RESIDENCE DR, PRAIRIE HALL INFORMATIONAL 08/19/2024 16:34 2024-00024090 Location: 99 SUPPORTING SERVICES DR Officer took a report from a subject regarding losing their ID card while traveling.

FIRE ALARM 08/19/2024 19:09

2024-00024100 Location: 419 COUGAR LAKE DR Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to an unknown cause. No smoke, no fire, no damage.

FOUND DEBIT CARD 08/19/2024 19:26

2024-00024101 Location: 500 COUGAR LAKE DR, COMMONS BUILDING

WARNING - SPEEDING 08/19/2024 20:04

2024-00024103 Location: S UNIVERSITY DR NEAR STADIUM DR

WARNING - SPEEDING 08/19/2024 20:07

2024-00024104 Location: N UNIVERSITY DR NEAR LEWIS RD

WARNING - EXPIRED REGISTRATION 08/19/2024 21:16

2024-00024113 Location: E UNIVERSITY DR NEAR N UNIVERSITY DR

WARNING - EXPIRED REGISTRATION 08/19/2024 21:53

2024-00024118 Location: E UNIVERSITY DR NEAR N UNIVERSITY DR

LOUD NOISE COMPLAINT 08/19/2024 22:13

2024-00024122 Location: 516 COUGAR LAKE DR Officer responded to a report of loud music coming from a residence and subjects smoking on the balcony. Officer advised contact was made with subjects and subjects were informed of the SIUE smoking policy before leaving the area.

SUSPICIOUS ODOR 08/19/2024 22:30

2024-00024125 Location: 60 CIRCLE DR, BLUFF HALL Officer responded to a report of a suspicious odor of cannabis. Officer advised no odor was detected in the area.

SMOKING COMPLAINT 08/19/2024 22:42

2024-00024126 Location: 400 SIDE COUGAR VILLAGE Officer responded to a report of subjects walking in the area and smoking. Officer advised the subjects were gone on arrival.

LOUD NOISE COMPLAINT 08/19/2024 23:09

2024-00024132 Location: 522 COUGAR LAKE DR Officer responded to a report of residents being loud. Officer advised area was checked and no noise loud noises were detected.

WARNING - DISREGARD STOP SIGN 08/19/2024 23:30

2024-00024134 Location: S UNIVERSITY DR NEAR STADIUM DR

SUSPICIOUS ODOR 08/20/2024 00:12

2024-00024137 Location: 50 RESIDENCE DR, PRAIRIE HALL Officer responded to a report of a suspicious odor of cannabis. Officer advised no odor was detected.

FIRE DEPARTMENT CALL / FIRE ALARM 08/20/2024 00:32

2024-00024141 Location: 74 CIRCLE DR, EVERGREEN HALL Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to cooking. Light smoke, no fire, no damage. Edwardsville Fire Department was dispatched and cleared the scene.

DISREGARD STOP SIGN 08/20/2024 07:10

2024-00024168 Location: NW UNIVERSITY DR NEAR CIRCLE DR State citation issued to Robert J. Karbach.

FIRE ALARM 08/20/2024 09:06

2024-00024190 Location: 417 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to cooking. No smoke, no fire, no damage.

TRAFFIC ACCIDENT - HIT AND RUN 08/20/2024 14:13

2024-00024215 Location: PARKING LOT 4

FIRE ALARM 08/20/2024 18:25

2024-00024233 Location: 523 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to cooking. No smoke, no fire, no damage.

FOUND HANDBAG 08/20/2024 18:34

2024-00024236 Location: 115 PECK SERVICE RD, FOUNDERS HALL

INFORMATIONAL 08/20/2024 18:35

2024-00024237 Location: 50 RESIDENCE DR, PRAIRIE HALL Officer responded to a report of an incident reported by a third-party caller. Officer advised subject involved did not want a police report.

FIRE DEPARTMENT CALL / SUSPICIOUS ODOR 08/20/2024 19:45

2024-00024244 Location: 421 COUGAR LAKE DR Officer responded to a suspicious odor of natural gas. Officer advised Edwardsville PD was dispatched and determined there was residual odor from a previous incident and advised residents to air apartment out. Edwardsville PD cleared the scene.

WARNING - EXPIRED REGISTRATION 08/20/2024 22:19

2024-00024255 Location: COUGAR LAKE DR NEAR N UNIVERSITY DR

WARNING - NO REAR REGISTRATION LIGHT 08/20/2024 22:42

2024-00024256 Location: N UNIVERSITY DR NEAR NEW POAG RD

FIRE DEPARTMENT CALL / FIRE ALARM 08/20/2024 23:00

2024-00024261 Location: 60 CIRCLE DR, BLUFF HALL Officer responded to report of an active fire alarm. Officer advised alarm was activated due to an unknown cause. No smoke, no fire, no damage. Edwardsville Fire Department was dispatched and cleared the scene.

WARNING - DRIVING WITHOUT HEADLIGHTS 08/21/2024 01:07

2024-00024267 Location: N UNIVERSITY DR NEAR P1RD

ASSIST OTHER POLICE DEPARTMENT (MADISON COUNTY SHERIFF'S DEPARTMENT) 08/21/2024 05:02 2024-00024282

Location: OUTSIDE VENUE, WOOD RIVER Officer assisted MADCO with attempting to locate a subject in a stolen vehicle. Officer advised subject was not located.

FIRE ALARM 08/21/2024 13:21

2024-00024317 Location: 431 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to a faulty alarm. No smoke, no fire, no damage.

TRAFFIC ACCIDENT 08/21/2024 14:23 2024-00024320 Location: N UNIVERSITY DR NEAR CIRCLE DR

THEFT OF SERVICES 08/21/2024 14:42 2024-00024321 Location: PARKING LOT A Officer responded to a report of a fraudulent parking hangtag.

FOUND WALLET 08/21/2024 15:55 2024-00024327 Location: SIUE ACADEMIC AREA

FIRE ALARM 08/21/2024 17:14

2024-00024334 Location: 517 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to cooking. No smoke, no fire, no damage.

FIRE DEPARTMENT CALL / FIRE ALARM 08/21/2024 18:54

2024-00024342 Location: 95 RESIDENCE DR, WOODLAND HALL Officer responded to an active fire alarm. Officer advised alarm was activated due to an unknown cause. No smoke, no fire, no damage. Edwardsville Fire Department was dispatched and cleared the scene.

FIRE ALARM 08/22/2024 03:44 2024-00024377 Location: 427 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to an oil diffuser. No smoke, no fire, no damage.

ASSIST OTHER POLICE AGENCY (ALTON POLICE DEPARTMENT) 08/22/2024 05:33

2024-00024386 Location: OUTSIDE VENUE, ALTON Officer assisted Alton Police Department with an incident in their venue.

FIRE ALARM 08/22/2024 09:24

2024-00024405 Location: 426 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to cooking. No smoke, no fire, no damage.

TRAFFIC ACCIDENT - PERSONAL INJURY 08/22/2024 09:29

2024-00024406 Location: HAIRPIN DR NEAR UNIVESITY DR

FIRE ALARM 08/22/2024 17:04 2024-00024448 Location: 523 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to cooking. No smoke, no fire, no damage.

WARNING - SPEEDING 08/22/2024 19:07

2024-00024456 Location: S UNIVERSITY DR NEAR UNIVERSITY PARK DR Warning for Expired Registration also issued.

ASSIST OTHER AGENCIES – EDWARDSVILLE FIRE DEPARTMENT AND EDWARDSVILLE POLICE DEPARTMENT 08/22/2024 20:48

2024-00024468 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville FD and Edwardsville PD with traffic control at a traffic accident.

FIRE ALARM 08/22/2024 21:48

2024-00024471 Location: 513 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to an unknown cause. No smoke, no fire, no damage.

FIRE ALARM 08/22/2024 23:14

2024-00024482 Location: 520 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to cooking. No smoke, no fire, no damage.

SUSPICIOUS ACTIVITY 08/23/2024 08:29

2024-00024512 Location: 35 CIRCLE DR, STUDENT FITNESS CENTER Officer responded to a report of subjects trying to enter fitness center without swiping in. Subjects gone on arrival.

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE POLICE DEPARTMENT) 08/23/2024 08:24

2024-00024514 Location: OUTSIDE VENUE, EDWARDSVLLE Officer assisted Edwardsville PD with an incident in their venue.

LOST WALLET 08/23/2024 09:33 2024-00024519 Location: PRAIRIE HALL PARKING LOT

INFORMATIONAL 08/23/2024 09:51

2024-00024521

Location: EAST ST LOUIS CAMPUS, LOT E2

Officer took a report from a subject reporting being approached by a subject in the parking lot. Officer advised subject left the area.

INFORMATIONAL 08/23/2024 11:15

2024-00024528 Location: BLUFF HALL PARKING LOT Officer took a report from a subject that found a lock placed on bicycle. Officer advised subject was able to remove the lock.

TRAFFIC ACCIDENT PROPERTY DAMAGE 08/23/2024 11:47

2024-00024533 Location: PARKING LOT 5G

FOUND CREDIT CARD 08/23/2024 13:09

2024-00024539 Location: 70 HAIRPIN DR, RENDLEMAN HALL

FOUND CELL PHONE 08/23/2024 17:01

2024-00024555 Location: 601 JAMES R THOMPSON BLVD, BUILDING D, EAST ST LOUIS CAMPUS

FIRE DEPARTMENT CALL / CARBON MONOXIDE ALARM 08/23/2024 20:14

2024-00024571 Location: 423 COUGAR LAKE DR Officer responded to an active carbon monoxide alarm. Officer advised alarm was activated due to the stove being left on. No smoke, no fire, no damage. Edwardsville Fire Department was dispatched and cleared the scene.

WARNING - IMPROPER TRAFFIC LANE USAGE 08/23/2024 21:46

2024-00024579 Location: N UNIVERSITY DR NEAR LEWIS RD

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE POLICE DEPARTMENT) 08/23/2024 21:58

2024-00024580 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville PD with traffic control on a traffic stop in their venue.

ASSIST OTHER AGENCY - SIUE HOUSING 08/24/2024 11:18

2024-00024625 Location: 50 RESIDENCE DR, PRAIRIE HALL Officer assisted SIUE Housing with a roommate dispute. Officer advised Housing would settle the dispute.

WARNING - IMPROPER DISPLAY OF REGISTRATION 08/24/2024 21:19

2024-00024656 Location: COUGAR LAKE DR NEAR N UNIVERSITY DR

WELFARE CHECK 08/24/2024 21:56

2024-00024661 Location: 50 RESIDENCE DR, PRAIRIE HALL Officer responded to a welfare check request of a subject by a friend. Officer advised contact was made with subject and subject did not need police assistance.

FIRE ALARM 08/24/2024 22:05

2024-00024662 Location: 514 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to shower steam. No smoke, no fire, no damage.

WARNING - NO FRONT REGISTRATION DISPLAY 08/24/2024 22:26

2024-00024664 Location: N UNIVERSITY DR NEAR P1 RD

WARNING - DISREGARD STOP SIGN 08/24/2024 23:16

2024-00024668 Location: CIRCLE DR NEAR S UNIVERSITY DR

WARNING – SPEEDING 08/24/2024 23:22

2024-00024669 Location: N UNIVERSITY DR NEAR LEWIS RD Warnings for Disregard Stop Sign and Improper Turn Signal also issued.

WARNING - EXPIRED REGISTRATION 08/24/2024 23:49

2024-00024673 Location: S UNIVERSITY DR NEAR STADIUM DR

WARNING - SPEEDING 08/25/2024 00:01

2024-00024675 Location: COUGAR LAKE DR NEAR N UNIVERSITY DR Warning for No Rear Registration Light also issued.

WARNING - EXPIRED REGISTRATION 08/25/2024 00:05

2024-00024676 Location: S UNIVERSITY DR NEAR STADIUM DR Warning for Driving Without Brake Lights also issued.

WARNING – DISREGARD STOP SIGN 08/25/2024 00:39

2024-00024679 Location: S UNIVERSITY DR NEAR STADIUM DR

IMPROPER TRAFFIC LANE USAGE 08/25/2024 00:46

2024-00024681 Location: N UNIVERSITY DR NEAR N RESEARCH DR State citation issued to Erek M. Monigan.

NO VALID REGISTRATION 08/25/2024 08:53

2024-00024694 Location: CIRCLE DR NEAR WHITESIDE RD State citation issued to Katherine M. Knight. Warning for Disregard Stop Sign also issued.

FIRE ALARM 08/25/2024 09:34

2024-00024696 Location: 425 COUGAR LAKE DR Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to cooking. Some smoke, no fire, no damage.

SUSPICIOUS ACTIVITY 08/25/2024 15:03

2024-00024712 Location: 61 CIRCLE DR, ENGINEERING BUILDING Officer responded to a report of a subject in an engineering lab after hours. Officer made contact with the subject and advised subject to get permission in advance to use the lab after hours.

DISREGARD STOP SIGN 08/25/2024 21:48

2024-00024734 Location: STADIUM DR NEAR S UNIVERSITY DR State citation issued to Ella J. Kuberski. Warnings for Ficticious ID and Underage Illegal Transportation of alcohol also issued.

SUSPICIOUS ODOR 08/25/2024 22:46

2024-00024738

Location: 50 RESIDENCE DR, PRAIRIE HALL Officer responded to a report of a suspicious odor of cannabis. Officer advised no odor was detected.

WARNING - DRIVING WITH NO TAILLIGHTS 08/25/2024 23:09

2024-00024740 Location: LEWIS RD NEAR N UNIVERSITY DR

IN-STATE WARRANT ARREST 08/25/2024 23:41

2024-00024742

Location: S UNIVERSITY DR NEAR CIRCLE DR

A juvenile was arrested on a Granite City Police Department's Failure to Appear: Disorderly Conduct warrant. Subject was transported to Granite City Police Department. The driver of the vehicle was issued warnings for Illegal Stopping and Disregarding a Stop Sign.

FIRE DEPARTMENT CALL / ODOR OF NATURAL GAS 08/25/2024 23:54

2024-00024744

Location: 420 COUGAR LAKE DR

Officer responded to a suspicious odor of natural gas. Officer advised odor was due to a faulty stove. Edwardsville Fire Department was dispatch and cleared the scene. SIUE Housing Maintenance was notified of the faulty stove.

HARASSMENT THROUGH ELECTONIC COMMUNICATION 08/26/2024 03:18

2024-00024753 Location: 425 COUGAR LAKE DR Officer took a report from a subject receiving possibly threatening messages through text. Investigation continues.

SCOFFLAW PARKING VIOLATION 08/26/2024 09:46

2024-00024766 Location: PARKING LOT 6

FIRE ALARM 08/26/2024 12:15

2024-00024775 Location: 512 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to an unknown cause. No smoke, no fire, no damage.

FIRE DEPARTMENT CALL / CARBON MONOXIDE ALARM 08/26/2024 17:17

2024-00024794 Location: 418 COUGAR LAKE DR

Officer responded to an active carbon monoxide alarm. Officer advised Edwardsville Fire Department discovered a small gas leak from the water heater and shut off the gas. Housing maintenance was informed and will fix issue. Edwardsville FD cleared the scene.

WARNING - EXPIRED REGISTRATION 08/26/2024 19:47

2024-00024808 Location: N UNIVERSITY DR NEAR LEWIS RD

WARNING - SPEEDING 08/27/2024 09:10 2024-00024869 Location: S UNIVERSITY DR NEAR UNIVERSITY PARK DR

SCOFFLAW PARKING VIOLATION 08/27/2024 11:11

2024-00024881 Location: HAIRPIN DR NEAR UNIVERSITY DR

WARNING - SPEEDING 08/27/2024 11:30

2024-00024882 Location: CIRCLE DR NEAR NW UNIVERSITY DR

SUSPICIOUS PERSON 08/27/2024 12:46

2024-00024888 Location: 60 HAIRPIN DR, MORRIS UNIVERSITY CENTER Officer responded to a report of a subject walking around buildings talking to himself. Officer advised contact was made with the subject and the subject left the area.

SUSPICIOUS PERSON 08/27/2024 12:55

2024-00024889 Location: 1719 ANNEX ST, BUILDING 283, ALTON CAMPUS Officer responded to a report of a subject walking around buildings and then looking in windows. Officer advised subject was gone on arrival.

INFORMATIONAL 08/27/2024 13:30

2024-00024892 Location: PARKING LOT 4B Officer took a report regarding a parking services issue that was resolved.

FIRE ALARM 08/27/2024 14:05

2024-00024895 Location: 509 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to a faulty alarm. No smoke, no fire, no damage.

FIRE ALARM 08/27/2024 15:54 2024-00024900 Location: 413 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to a faulty alarm. No smoke, no fire, no damage.

TRAFFIC ACCIDENT 08/27/2024 17:04 2024-00024904 Location: N UNIVERSITY DR NEAR COUGAR LAKE DR

FIRE ALARM 08/27/2024 17:20

2024-00024905 Location: 513 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to cooking. No smoke, no fire, no damage.

WARNING - DISREGARD STOP SIGN 08/27/2024 19:57

2024-00024921 Location: CIRCLE DR NEAR WHITESIDE RD

WARNING - EXPIRED REGISTRATION 08/27/2024 20:57

2024-00024929 Location: N UNIVERSITY DR NEAR LEWIS RD

FIRE DEPARTMENT CALL / FIRE ALARM 08/27/2024 21:50

2024-00024936 Location: 60 CIRCLE DR, BLUFF HALL Officer responded to an active fire alarm. Officer advised alarm was activated due to an unknown cause. No smoke, no fire, no damage.

THEFT OF SERVICES 08/28/2024 09:20 2024-00025002 Location: PARKING LOT A Officer responded to a report of a fraudulent parking hangtag.

FOUND ID CARD 08/28/2024 09:35 2024-00025004 Location: 61 CIRCLE DR, ENGINEERING BUILDING

FIRE DEPARTMENT CALL / FIRE ALARM 08/28/2024 12:57

2024-00025019 Location: 50 RESIDENCE DR, PRAIRIE HALL Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to an unknown cause. No smoke, no fire, no damage. Edwardsville Fire Department was dispatched and cleared the scene.

TRAFFIC ACCIDENT 08/28/2024 15:00

2024-00025027 Location: CIRCLE DR NEAR PARKING LOT C

FOUND KEYS 08/28/2024 20:32 2024-00025050 Location: 35 CIRCLE DR, SIUE FITNESS CENTER

BURGLARY FROM MOTOR VEHICLE 08/29/2024 07:15

2024-00025091 Location: PARKING LOT A Officer took a report of a SIUE hangtag stolen from a vehicle.

WELFARE CHECK 08/29/2024 07:35

2024-00025092 Location: 411 COUGAR LAKE DR Officer responded to a welfare check request of a subject by a roommate. Officer advised contact was made with subject and subject did not need police assistance.

FIRE ALARM 08/29/2024 10:47

2024-00025111 Location: 417 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to an unknown cause. No smoke, no fire, no damage.

TRAFFIC ACCIDENT - PERSONAL INJURY 08/29/2024 10:47

2024-00025112 Location: CIRCLE DR NEAR S UNIVERSITY DR

FOUND KEYCHAIN AND WALLET 08/29/2024 13:25

2024-00025130 Location: 20 HAIRPIN DR, PECK HALL

LOST WALLET 08/29/2024 14:24 2024-00025137 Location: SIUE ACADEMIC AREA

ASSIST OTHER AGENCY (ALTON POLICE DEPARTMENT) 08/29/2024 15:19

2024-00025139 Location: OUTSIDE VENUE, ALTON Officer assisted Alton PD with information regarding a welfare check for a subject in their venue.

WARNING - DISREGARD STOP SIGN 08/29/2024 19:34

2024-00025156 Location: E UNIVERSITY DR NEAR N UNIVERSITY DR

WARNING – DRIVING WITHOUT HEADLIGHTS 08/30/2024 01:12

2024-00025189 Location: N UNIVERSITY DR NEAR P1 RD

FIRE ALARM 08/30/2024 01:31

2024-00025190 Location: 425 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to a humidifier. No smoke, no fire, no damage.

AGGRAVATED BATTERY 08/30/2024 20:58

2024-00025256

Location: ALTON GENERAL GROUNDS, ALTON CAMPUS Officer responded to a report of an aggravated battery. Jacob Jones (42 yoa, 611 Liberty St., Alton, IL) was arrested for aggravated battery. Subject was transported to the Police Department where he was fingerprinted, photographed, processed and released after signing the Conditions of Pretrial Release and Notice to Appear Misdemeanor.

FIRE ALARM 08/31/2024 01:19

2024-00025272 Location: 519 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised alarm was activated due to an unknown cause. No smoke, no fire, no damage.

ASSIST OTHER AGENCY (SIUE HOUSING) 08/31/2024 11:42

2024-00025306 Location: 411 COUGAR LAKE DR Officer responded to a request to stand by while a resident moved out after a roommate dispute. Officer advised no police assistance was needed.

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE POLICE DEPARTMENT) 08/31/2024 15:41

2024-00025318 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville PD with traffic control at a traffic stop.

SUSPICIOUS ACTIVITY 08/31/2024 22:49

2024-00025353 Location: 500 SIDE COUGAR LAKE DR Officer responded to a report of subjects standing outside smoking cannabis. Officer advised area was searched and subjects were gone on arrival.

FIRE DEPARTMENT CALL / FIRE ALARM 08/31/2024 23:21

2024-00025356

Location: 95 RESIDENCE DR, WOODLAND HALL

Officer responded to a report of an active fire alarm. Officer advised alarm was activated due to cooking. No smoke, no fire, no damage. Edwardsville Fire Department was dispatched and cleared the scene.